


MTW 250i / MTB 250i W ML WEAR PARTS



	ARTICLE NUMBER	PG	DC			
				MTW 250i / MTB 250i W ML wear parts		
	44,0350,3250	6	D	Gas nozzle mounting complete W MTB 250i inkl. sealing ring 42,0402,0316		
1	42,0100,1320,5	20	D	Insulation ring ø17,8 / 14x10,8	to 9	pk
		20	D	Insulation ring ø17,8 / 14x10,8	to 39	pk
		20	D	Insulation ring ø17,8 / 14x10,8	from 40	pk
2	42,0001,3999,5	20	A	Nozzle stock M6 / SW10x28,5 incl. sealing ring 42,0402,0313	to 9	pk
		20	A	Nozzle stock M6 / SW10x28,5 incl. sealing ring 42,0402,0313	to 39	pk
		20	A	Nozzle stock M6 / SW10x28,5 incl. sealing ring 42,0402,0313	from 40	pk
3	*) 42,0100,0552,5	20	D	Spatter guard ø9,2 / ø17,2x17	to 9	pk
		20	D	Spatter guard ø9,2 / ø17,2x17	to 39	pk
		20	D	Spatter guard ø9,2 / ø17,2x17	from 40	pk
4	42,0100,0531,5	20	D	Spatter guard ø9,2 / ø17,2x17 HD	to 9	pk
		20	D	Spatter guard ø9,2 / ø17,2x17 HD	to 39	pk
		20	D	Spatter guard ø9,2 / ø17,2x17 HD	from 40	pk
6	*) 42,0001,4065,5	20	D	Gas nozzle ø13 / ø22x58 CT M20x2	to 9	pk
		20	D	Gas nozzle ø13 / ø22x58 CT M20x2	to 39	pk
		20	D	Gas nozzle ø13 / ø22x58 CT M20x2	from 40	pk
	42,0001,4477,5	20	D	Gas nozzle ø13 / ø22x56 CT M20x2	to 9	pk
		20	D	Gas nozzle ø13 / ø22x56 CT M20x2	to 39	pk
		20	D	Gas nozzle ø13 / ø22x56 CT M20x2	from 40	pk
	42,0001,4055,5	20	A	Gas nozzle cylindrical ø18 / ø22x58 CT M20x2	to 9	pk
		20	A	Gas nozzle cylindrical ø18 / ø22x58 CT M20x2	to 39	pk
		20	A	Gas nozzle cylindrical ø18 / ø22x58 CT M20x2	from 40	pk
	42,0001,4084,5	20	D	Gas nozzle ø10 / ø22x58 CT M20x2	to 9	pk
		20	D	Gas nozzle ø10 / ø22x58 CT M20x2	to 39	pk
		20	D	Gas nozzle ø10 / ø22x58 CT M20x2	from 40	pk
	42,0001,4493,5	20	D	Gas nozzle ø15 / ø22x58 CT M20x2	to 9	pk
		20	D	Gas nozzle ø15 / ø22x58 CT M20x2	to 39	pk
		20	D	Gas nozzle ø15 / ø22x58 CT M20x2	from 40	pk
	*) Standard equipment					
	Pos. 5 - contact tip M6 page 86					

		ARTICLE NUMBER	PG	DC			
Gas nozzle for brazing							
		42,0001,6664,5	20	D	Gas nozzle ø8 / ø22x57 CT	to 9	pk
			20	D	Gas nozzle ø8 / ø22x57 CT	to 39	pk
			20	D	Gas nozzle ø8 / ø22x57 CT	from 40	pk
Sleeve system for steel applications							
7		42,0100,0404,5	20	D	Insulating sleeve ø17,7 / 13,8x16,8	to 9	pk
			20	D	Insulating sleeve ø17,7 / 13,8x16,8	to 39	pk
			20	D	Insulating sleeve ø17,7 / 13,8x16,8	from 40	pk
8		42,0001,0476,5	20	D	Nozzle stock M6 / SW8x28	to 9	pk
			20	D	Nozzle stock M6 / SW8x28	to 39	pk
			20	D	Nozzle stock M6 / SW8x28	from 40	pk
9		42,0001,0488,5	20	D	Gas nozzle ø13 / ø22x56 CT/H M20x2	to 9	pk
			20	D	Gas nozzle ø13 / ø22x56 CT/H M20x2	to 39	pk
			20	D	Gas nozzle ø13 / ø22x56 CT/H M20x2	from 40	pk

CONTACT TIPS



ARTICLE NUMBER	PG	DC			
Contact tips M6 for steel & CrNi CuCrZr					
42,0001,4928,10	20A	D	Contact tip 0,6 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 0,6 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 0,6 / M6 / ø8x24	from 100	pk
42,0001,6524,10	20A	D	Contact tip 0,7 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 0,7 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 0,7 / M6 / 8x24mm	from 100	pk
42,0001,4461,10	20A	D	Contact tip 0,8 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 0,8 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 0,8 / M6 / ø8x24	from 100	pk
42,0001,4462,10	20A	D	Contact tip 0,9 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 0,9 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 0,9 / M6 / ø8x24	from 100	pk
42,0001,4463,10	20A	D	Contact tip 1,0 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,0 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,0 / M6 / ø8x24	from 100	pk
42,0001,0000,10	20A	D	Contact tip 1,0- / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,0- / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,0- / M6 / ø8x24	from 100	pk
42,0001,6527,10	20A	D	Contact tip 1,1 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,1 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,1 / M6 / 8x24mm	from 100	pk
42,0001,4464,10	20A	D	Contact tip 1,2 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,2 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,2 / M6 / ø8x24	from 100	pk

ARTICLE NUMBER	PG	DC			
42,0001,6529,10	20A	D	Contact tip 1,3 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,3 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,3 / M6 / 8x24mm	from 100	pk
42,0001,4465,10	20A	D	Contact tip 1,4 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,4 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,4 / M6 / ø8x24	from 100	pk
42,0001,6522,10	20A	D	Contact tip 1,5 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,5 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,5 / M6 / 8x24mm	from 100	pk
42,0001,4466,10	20A	D	Contact tip 1,6 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,6 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,6 / M6 / ø8x24	from 100	pk
1 packing unit includes 10 pieces					

Contact tips M6 for aluminium, CuSi CuCrZr

42,0001,6525,10	20A	D	Contact tip 0,8 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 0,8 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 0,8 / M6 / 8x24mm	from 100	pk
42,0001,6526,10	20A	D	Contact tip 1,0 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,0 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,0 / M6 / 8x24mm	from 100	pk
42,0001,6528,10	20A	D	Contact tip 1,2 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,2 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,2 / M6 / 8x24mm	from 100	pk
42,0001,6523,10	20A	D	Contact tip 1,6 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,6 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,6 / M6 / 8x24mm	from 100	pk
1 packing unit includes 10 pieces					

Contact tips M8x1,5 for steel and CuSi CuCrZr

42,0001,0136,10	20A	D	Contact tip 0,6 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 0,6 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 0,6 / M8x1,5 / ø10x32	from 100	pk
42,0001,6482,10	20A	D	Contact tip 0,7 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 0,7 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 0,7 / M8x1,5 / ø10x32	from 100	pk
42,0001,6464,10	20A	D	Contact tip 0,8 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 0,8 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 0,8 / M8x1,5 / ø10x32	from 100	pk
42,0001,6465,10	20A	D	Contact tip 0,9 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 0,9 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 0,9 / M8x1,5 / ø10x32	from 100	pk
42,0001,6466,10	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32	from 100	pk
42,0001,0128,10	20A	D	Contact tip 1,0- / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,0- / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,0- / M8x1,5 / ø10x32	from 100	pk
42,0001,6483,10	20A	D	Contact tip 1,1 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,1 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,1 / M8x1,5 / ø10x32	from 100	pk
42,0001,6467,10	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32	from 100	pk
42,0001,6484,10	20A	D	Contact tip 1,3 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,3 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,3 / M8x1,5 / ø10x32	from 100	pk
42,0001,6468,10	20A	A	Contact tip 1,4 / M8x1,5 / ø10x32	to 9	pk
	20A	A	Contact tip 1,4 / M8x1,5 / ø10x32	to 99	pk
	20A	A	Contact tip 1,4 / M8x1,5 / ø10x32	from 100	pk
42,0001,6485,10	20A	D	Contact tip 1,5 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,5 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,5 / M8x1,5 / ø10x32	from 100	pk
42,0001,6469,10	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32	from 100	pk
42,0001,6470,10	20A	D	Contact tip 1,8 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,8 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,8 / M8x1,5 / ø10x32	from 100	pk

ARTICLE NUMBER	PG	DC			
42,0001,6471,10	20A	D	Contact tip 2,0 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 2,0 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 2,0 / M8x1,5 / ø10x32	from 100	pk
42,0001,6472,10	20A	D	Contact tip 2,4 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 2,4 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 2,4 / M8x1,5 / ø10x32	from 100	pk
42,0001,4642,10	20A	D	Contact tip 2,8 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 2,8 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 2,8 / M8x1,5 / ø10x32	from 100	pk
1 packing unit includes 10 pieces					

Contact tips M8x1,5 for aluminium, CuSi CuCrZr

42,0001,6537,10	20A	D	Contact tip 0,8 / M8x1,5 / 10x32 Al	to 9	pk
	20A	D	Contact tip 0,8 / M8x1,5 / 10x32 Al	to 99	pk
	20A	D	Contact tip 0,8 / M8x1,5 / 10x32 Al	from 100	pk
42,0001,4750,10	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32 Al	to 9	pk
	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32 Al	to 99	pk
	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32 Al	from 100	pk
42,0001,4751,10	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32 Al	to 9	pk
	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32 Al	to 99	pk
	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32 Al	from 100	pk
42,0001,4752,10	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32 Al	to 9	pk
	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32 Al	to 99	pk
	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32 Al	from 100	pk
1 packing unit includes 10 pieces					

Contact tip tool

42,0410,0570	3	A	Contact tip tool SW7 M6/M8/TIME		
42,0410,0138	3	A	Contact tip tool SW8 M10		

Contact tips SQ (=Standard Quality) M6 E-CU

42,0001,7025,10	10	A	Contact tip 0,9 / M6 / ø8x24 / Standard Quality	to 9	pk
	10	A	Contact tip 0,9 / M6 / ø8x24 / Standard Quality	to 99	pk
	10	A	Contact tip 0,9 / M6 / ø8x24 / Standard Quality	from 100	pk
42,0001,7026,10	10	D	Contact tip 1,0 / M6 / ø8x24 / Standard Quality	to 9	pk
	10	D	Contact tip 1,0 / M6 / ø8x24 / Standard Quality	to 99	pk
	10	D	Contact tip 1,0 / M6 / ø8x24 / Standard Quality	from 100	pk
42,0001,7027,10	10	D	Contact tip 1,2 / M6 / ø8x24 / Standard Quality	to 9	pk
	10	D	Contact tip 1,2 / M6 / ø8x24 / Standard Quality	to 99	pk
	10	D	Contact tip 1,2 / M6 / ø8x24 / Standard Quality	from 100	pk

Contact tips SQ (=Standard Quality) M8x1,5 E-CU

42,0001,7028,10	10	D	Contact tip 0,9 / M8x1,5 / ø10x32 / Standard Quality	to 9	pk
	10	D	Contact tip 0,9 / M8x1,5 / ø10x32 / Standard Quality	to 99	pk
	10	D	Contact tip 0,9 / M8x1,5 / ø10x32 / Standard Quality	from 100	pk
42,0001,7029,10	10	D	Contact tip 1,0 / M8x1,5 / ø10x32 / Standard Quality	to 9	pk
	10	D	Contact tip 1,0 / M8x1,5 / ø10x32 / Standard Quality	to 99	pk
	10	D	Contact tip 1,0 / M8x1,5 / ø10x32 / Standard Quality	from 100	pk
42,0001,7030,10	10	A	Contact tip 1,2 / M8x1,5 / ø10x32 / Standard Quality	to 9	pk
	10	A	Contact tip 1,2 / M8x1,5 / ø10x32 / Standard Quality	to 99	pk
	10	A	Contact tip 1,2 / M8x1,5 / ø10x32 / Standard Quality	from 100	pk