


# MTW 700i / MTB 700i W ML / MTW 750i WEAR PARTS



		ARTICLE NUMBER	PG	DC	
<b>MTW 700i / MTB 700i W ML / MTW 750i wear parts</b>					
1		42,0300,2565	6	A	Sealing ring Iø10,0x1,5
2		42,0402,0301	6	D	Sealing ring Iø13x1 NBR70
3		42,0404,1393	6	D	Compression spring 2 9,07 3,2
4		42,0001,4723	6	A	Lock catches ø26,9xø19,1x7
5		42,0001,4725	6	D	Gas nozzle holder W700i ø30x11,5
6		42,0401,1347	6	D	Countersunk screw M3x9 hex 2,5
7		44,0350,3965	6	D	Cooling sleeve complete W700i ø26,3x28,8 (incl. Sealing rings)
8		42,0300,3109	6	D	Sealing ring ø18,5x2,5mm FKM 70
9		42,0001,4726	20	D	Nozzle stock M8x1,5 / SW10x29,4 H copper
10		42,0100,1464	20	D	Insulation sleeve M18x1/ ø21,6x21
12	*)	44,0350,4079	20	D	Gas nozzle W 700i ø17 / ø29,5x68,5
		44,0350,3966	20	D	Gas nozzle W 700i ø17 / ø29,5x71
		44,0350,3942	20	D	Gas nozzle W 700i ø17 / ø29,5x76 HD
13	*)	42,0001,4868	20	D	Gas nozzle end cap ø17 / ø29x26,5
		42,0001,4257	20	D	Gas nozzle end cap ø17 / ø29x29
		42,0001,4670	20	D	Gas nozzle end cap ø17/29x34 HD
		42,0001,4937	20	D	Gas nozzle end cap ø17/ø29x26,5/C
		*) Standard equipment			
		Pos. 11 - contact tip M8x1,5 page 87			
		Sealing rings gas nozzle end cap 42,0402,0305 and 42,0402,0304			

## Optional narrow gap wear parts with nozzle block long

		42,1100,0083	20	D	Insulating sleeve M18x1/ø20.6x11.6
		42,0001,0544	20	D	Nozzle stick M8x1.5/SW10x44.9 CU Copper
		42,0001,0545	20	D	Gas nozzle ø15/ø29x80

## Optional narrow gap wear parts with nozzle block short

		42,1100,0083	20	D	Insulating sleeve M18x1/ø20.6x11.6
		42,0001,0546	20	D	Nozzle stick M8x1.5/SW10x38.4 CU Copper
		42,0001,0545	20	D	Gas nozzle ø15/ø29x80

# CONTACT TIPS



ARTICLE NUMBER	PG	DC			
<b>Contact tips M6 for steel &amp; CrNi CuCrZr</b>					
42,0001,4928,10	20A	D	Contact tip 0,6 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 0,6 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 0,6 / M6 / ø8x24	from 100	pk
42,0001,6524,10	20A	D	Contact tip 0,7 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 0,7 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 0,7 / M6 / 8x24mm	from 100	pk
42,0001,4461,10	20A	D	Contact tip 0,8 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 0,8 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 0,8 / M6 / ø8x24	from 100	pk
42,0001,4462,10	20A	D	Contact tip 0,9 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 0,9 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 0,9 / M6 / ø8x24	from 100	pk
42,0001,4463,10	20A	D	Contact tip 1,0 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,0 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,0 / M6 / ø8x24	from 100	pk
42,0001,0000,10	20A	D	Contact tip 1,0- / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,0- / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,0- / M6 / ø8x24	from 100	pk
42,0001,6527,10	20A	D	Contact tip 1,1 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,1 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,1 / M6 / 8x24mm	from 100	pk
42,0001,4464,10	20A	D	Contact tip 1,2 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,2 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,2 / M6 / ø8x24	from 100	pk

ARTICLE NUMBER	PG	DC			
42,0001,6529,10	20A	D	Contact tip 1,3 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,3 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,3 / M6 / 8x24mm	from 100	pk
42,0001,4465,10	20A	D	Contact tip 1,4 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,4 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,4 / M6 / ø8x24	from 100	pk
42,0001,6522,10	20A	D	Contact tip 1,5 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,5 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,5 / M6 / 8x24mm	from 100	pk
42,0001,4466,10	20A	D	Contact tip 1,6 / M6 / ø8x24	to 9	pk
	20A	D	Contact tip 1,6 / M6 / ø8x24	to 99	pk
	20A	D	Contact tip 1,6 / M6 / ø8x24	from 100	pk
1 packing unit includes 10 pieces					

#### Contact tips M6 for aluminium, CuSi CuCrZr

42,0001,6525,10	20A	D	Contact tip 0,8 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 0,8 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 0,8 / M6 / 8x24mm	from 100	pk
42,0001,6526,10	20A	D	Contact tip 1,0 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,0 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,0 / M6 / 8x24mm	from 100	pk
42,0001,6528,10	20A	D	Contact tip 1,2 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,2 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,2 / M6 / 8x24mm	from 100	pk
42,0001,6523,10	20A	D	Contact tip 1,6 / M6 / 8x24mm	to 9	pk
	20A	D	Contact tip 1,6 / M6 / 8x24mm	to 99	pk
	20A	D	Contact tip 1,6 / M6 / 8x24mm	from 100	pk
1 packing unit includes 10 pieces					

#### Contact tips M8x1,5 for steel and CuSi CuCrZr

42,0001,0136,10	20A	D	Contact tip 0,6 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 0,6 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 0,6 / M8x1,5 / ø10x32	from 100	pk
42,0001,6482,10	20A	D	Contact tip 0,7 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 0,7 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 0,7 / M8x1,5 / ø10x32	from 100	pk
42,0001,6464,10	20A	D	Contact tip 0,8 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 0,8 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 0,8 / M8x1,5 / ø10x32	from 100	pk
42,0001,6465,10	20A	D	Contact tip 0,9 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 0,9 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 0,9 / M8x1,5 / ø10x32	from 100	pk
42,0001,6466,10	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32	from 100	pk
42,0001,0128,10	20A	D	Contact tip 1,0- / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,0- / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,0- / M8x1,5 / ø10x32	from 100	pk
42,0001,6483,10	20A	D	Contact tip 1,1 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,1 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,1 / M8x1,5 / ø10x32	from 100	pk
42,0001,6467,10	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32	from 100	pk
42,0001,6484,10	20A	D	Contact tip 1,3 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,3 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,3 / M8x1,5 / ø10x32	from 100	pk
42,0001,6468,10	20A	A	Contact tip 1,4 / M8x1,5 / ø10x32	to 9	pk
	20A	A	Contact tip 1,4 / M8x1,5 / ø10x32	to 99	pk
	20A	A	Contact tip 1,4 / M8x1,5 / ø10x32	from 100	pk
42,0001,6485,10	20A	D	Contact tip 1,5 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,5 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,5 / M8x1,5 / ø10x32	from 100	pk
42,0001,6469,10	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32	from 100	pk
42,0001,6470,10	20A	D	Contact tip 1,8 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 1,8 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 1,8 / M8x1,5 / ø10x32	from 100	pk

ARTICLE NUMBER	PG	DC			
42,0001,6471,10	20A	D	Contact tip 2,0 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 2,0 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 2,0 / M8x1,5 / ø10x32	from 100	pk
42,0001,6472,10	20A	D	Contact tip 2,4 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 2,4 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 2,4 / M8x1,5 / ø10x32	from 100	pk
42,0001,4642,10	20A	D	Contact tip 2,8 / M8x1,5 / ø10x32	to 9	pk
	20A	D	Contact tip 2,8 / M8x1,5 / ø10x32	to 99	pk
	20A	D	Contact tip 2,8 / M8x1,5 / ø10x32	from 100	pk
1 packing unit includes 10 pieces					

#### Contact tips M8x1,5 for aluminium, CuSi CuCrZr

42,0001,6537,10	20A	D	Contact tip 0,8 / M8x1,5 / 10x32 Al	to 9	pk
	20A	D	Contact tip 0,8 / M8x1,5 / 10x32 Al	to 99	pk
	20A	D	Contact tip 0,8 / M8x1,5 / 10x32 Al	from 100	pk
42,0001,4750,10	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32 Al	to 9	pk
	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32 Al	to 99	pk
	20A	D	Contact tip 1,0 / M8x1,5 / ø10x32 Al	from 100	pk
42,0001,4751,10	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32 Al	to 9	pk
	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32 Al	to 99	pk
	20A	D	Contact tip 1,2 / M8x1,5 / ø10x32 Al	from 100	pk
42,0001,4752,10	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32 Al	to 9	pk
	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32 Al	to 99	pk
	20A	D	Contact tip 1,6 / M8x1,5 / ø10x32 Al	from 100	pk
1 packing unit includes 10 pieces					

#### Contact tip tool

42,0410,0570	3	A	Contact tip tool SW7 M6/M8/TIME		
42,0410,0138	3	A	Contact tip tool SW8 M10		

#### Contact tips SQ (=Standard Quality) M6 E-CU

42,0001,7025,10	10	A	Contact tip 0,9 / M6 / ø8x24 / Standard Quality	to 9	pk
	10	A	Contact tip 0,9 / M6 / ø8x24 / Standard Quality	to 99	pk
	10	A	Contact tip 0,9 / M6 / ø8x24 / Standard Quality	from 100	pk
42,0001,7026,10	10	D	Contact tip 1,0 / M6 / ø8x24 / Standard Quality	to 9	pk
	10	D	Contact tip 1,0 / M6 / ø8x24 / Standard Quality	to 99	pk
	10	D	Contact tip 1,0 / M6 / ø8x24 / Standard Quality	from 100	pk
42,0001,7027,10	10	D	Contact tip 1,2 / M6 / ø8x24 / Standard Quality	to 9	pk
	10	D	Contact tip 1,2 / M6 / ø8x24 / Standard Quality	to 99	pk
	10	D	Contact tip 1,2 / M6 / ø8x24 / Standard Quality	from 100	pk

#### Contact tips SQ (=Standard Quality) M8x1,5 E-CU

42,0001,7028,10	10	D	Contact tip 0,9 / M8x1,5 / ø10x32 / Standard Quality	to 9	pk
	10	D	Contact tip 0,9 / M8x1,5 / ø10x32 / Standard Quality	to 99	pk
	10	D	Contact tip 0,9 / M8x1,5 / ø10x32 / Standard Quality	from 100	pk
42,0001,7029,10	10	D	Contact tip 1,0 / M8x1,5 / ø10x32 / Standard Quality	to 9	pk
	10	D	Contact tip 1,0 / M8x1,5 / ø10x32 / Standard Quality	to 99	pk
	10	D	Contact tip 1,0 / M8x1,5 / ø10x32 / Standard Quality	from 100	pk
42,0001,7030,10	10	A	Contact tip 1,2 / M8x1,5 / ø10x32 / Standard Quality	to 9	pk
	10	A	Contact tip 1,2 / M8x1,5 / ø10x32 / Standard Quality	to 99	pk
	10	A	Contact tip 1,2 / M8x1,5 / ø10x32 / Standard Quality	from 100	pk